after ſitting, and it was a great difficulty to him to get up, which perhaps was occaſioned by the Weight and Preſſure of the Kidney and adjacent indurate Glands, lying on the head of the *Pſoas* Muſcle and *Quadratus lumborum*.

He had often a total Suppreſſion of Urine; but was much relieved by *Sal Succini* and *Corn. Cervi*. He took ſeveral Doſes of *Cantharides* with Camphire, without any ill effect from the Fly, but had little Relief as to his Diſtemper. For Three Weeks paſt he was ſeized with a violent Looſeneſs, which at laſt, in ſpite of all means, carry'd him off.

VII. *An Account of a Book, intitul'd,* Index *Plantarum* Horti Lugduno-Batavi, *per* Herman. Boerhaven. *Lugduni Batav.* 1710. 8*vo.* *p.* 278.

THE Author Dr. *Boerhave* hath in this *Catalogue* given the World an early Specimen of his large Knowledge in *Botany*, he being elected Profeſſor of that Science at *Leyden* but the Spring before this Publication, upon the *Death* of Dr. *Hotton*, who ſucceeded that *Celebrated* Botaniſt Dr. *Paul Herman*, whoſe *Catalogue* of that *Garden*, with his *Prodromus* and *Paradyſus Batavus*, are living Teſtimonies of his Immortal Fame. This *Curious Botaniſt* to repair his loſs, obliges us here with a *Methodical Index* of all ſuch *Plants* as actually grew in that *Garden* the laſt Year, that the World may ſee what he can

The Royal Society is collaborating with JSTOR to digitize, preserve, and extend access to *Philosophical Transactions (1683-1775).* www.jstor.org

can furniſh them withal, as well as what he wants; ſo that by a mutual Commutation each may improve his Stock. It were highly to be wiſh'd, that other *Nations* would, as he has yearly promis'd, do the like, and eſpecially our own, ſince we have ſeveral *Noble* as well as private *Perſons* in *ENGLAND*, and ſome particular *Communities*, which have not been wanting either for *Coſt* or *Induſtry* to ſtock their *Gardens* with many *Rare* and *Exotick Plants*; and till ſome *Curious Perſon* will take the Pains to publiſh a *Catalogue* of them, I preſume it will not in the *interim* be amiſs to give here an Extract from this, of ſuch *Plants* as have very rarely or never been Cultivated in any of our *Publick* or other *Curious Gardens* here in *England*.

In giving theſe I ſhall follow the *Author's Method*, but divide them under theſe 3 general *Heads*, viz.

I. A Liſt of the *Non-Deſcript* Plants, *viz.* ſuch as Dr. *Boerhave* has given as New, or without any *Author* to them.

II. A *Catalogue* of the more *rare Plants* lately *diſcovered*.

III. Such as are no leſs *rare* in our *Engliſh Gardens*, tho' *formerlly* deſcribed.

A Catalogue *of the* Non Deſcript *Plants, viz.*

I. *Such as Dr.* Boerhave *has given as* New, *or without any* Author *to them.*

Ranunculus fol. *Rutæ*, flore aureo ſimplici p. 3.
Thalictrum fl. luteo, caule anguloſo, fol. minori 7.
Oenanthe aquatica minor 9.
Phellandrium fol. *Thyſſelini*, caule rotundo 11.
Phellandrium fol. *Thyſſelini*, caule ſulcato 11.
Laſerpitium lato, glauco ſplendente, trifido folio, flore albo, umbella Sphærica 13.
Caucalis *Africana*, fol. minore *Rutæ* 15.
Sphondylium folio frequentius laciniato 16.
Panax folio glabro nitente lato 16.
Panax fol. glabro nitente altior 16.
Myrrhis annua glabra alba minor 17.
Myrrhis *Oriental.* fol. anguſtiore Peucedani, ſem. villoſo 17.
Lactuca altiſſima, fol. *Sonchi* laciniato, fl. parvo cæruleo 21.
Lactuca Sylv. folio ad latera ſpinoſo 21.
Sonchus Orient. *Lactucæ* folio, fl. luteo, *ſem.* eleganter crenato 23.
Hieracium folio, caule, & calyce hirſutis 25.
Hieracium folio amplo longo dentato, floſculis parvis luteis 25.
Dens Leonis folio *Coronopi* 26.
Cichorium ſem. adunco, fl. triplo majore, capitulis minoribus 27.
Jacobea maritima, fol. integro ſerrato viridi 31.
Anemonoſpermos *Africana* fol. Jacobeæ, fl. luteo extùs puniceo 31.
Helenium *Indicum* maximum, flore pleno aureo 32.
Helenium *Indicum* maximum, fl. pleno ſulphureo 32.
Chamæmelum marin. *Aſiat.* nudum humifuſ. fol. craſſo 36.

Milleſolium tomentoſiſſimum 38.
Senecio *Ægyptius* fol. *Matricariæ* 40.
Senecio *African.* arboreſcens, fol. ſerrato 41.
Elichryſum *Afric.* fol. oblongo ſubincano ſupra viridi, fl. luteo 42.
Elichryſum *Afric.* fol. oblongo anguſto, fl. rubello poſtea aureo 42.
Elichryſum *Afric.* f. oblongo lato tomentoſo, fl. luteo 43.
Elichryſum *Afric.* fol. oblongo tomentoſo, caulem amplectante, flore luteo 43.
Santolina *Orient.* odore Chamæmeli, fol. vermiculato 44.
Abſinthium Santonicum *Ægyptiacum* 45.
Scabioſa integrifolia *Syriaca* Sivan *dicta* 47.
Scabioſa *Africana* fruteſcens, fol. *Rutæ Caninæ* 47.
Cirſium maximum, capite parvo 51.
Cirſium rad. *Aſphodeli*, fol. lato & lucido 51.
Cirſium majus, fol. ſubtus incano 51.
Cirſium anguſtifol. capitulo magno 51.
Clinopodium Siculum folio Satureiæ 61.
Lamium arboreſcens perenne Canadenſe, fol. rotundiore & viridiore 63.
Sclarea Æthiopica fol. ſubrotundo perennis 63.
Horminum pratenſe, folio non ſerrato 64.
Sclarea Africana ampliſſimo folio annua 64.
Teucrium Orientale, facie Chamedryos 73.
Linum umbilicatum, folio latiore 78.
Symphytum magis maculoſum 78.
Symphytum maximè maculoſum 78.
Echium folio aſperrimo & verrucoſo 78.
Echium ferox Ægyptium, fl. carneo 79.
Cerinthe quorundam major, verſicolore fl. laciniato 79.
Alſine folio Kali, flore ſubcæruleo 83.
Lychnis Suecica *Scrotum Arietis* dicta 85.
Lychnis ſylv. vel marina fl. rubro pulcherrimo 85.
Lychnis fol. Bellidis craſſiori ſubhirſuto 85.
Lychnis flore pallide viridi 85.

Lychnis

Lychnis montana folio Gramineo fl. ſpicato exiguo 86.
Lychnis *Sicula* elatior, folio *Salicis* 86.
Lychnis anguſtifolia, calyculis ſtriatis 86.
Lychnis *Alpina* repens alba, fol. *Lini*, petalis bifidis 86.
Lychnis fol. Centaurij minoris glabro 86.
Lychnis repens, caule lignoſo, anguſtifolia 87.
Caryophylus Sinenſis, fl. pulcherrimo 88.
Sedum aizoides Alpina, trifido folio minor 91.
Blattaria fl. luteo amplo, folio laciniato 92.
Blattaria fl. luteo amplo, fol. hirſuto Verbaſci 92.
Digitalis fol. glabro anguſto 93.
Antirrhinum flore luteo grandi 95.
Antirrhinum fol. Linariæ, fl. toto albo 95.
Antirrhinum anguſtifolium, fl. magno purpureo 95.
Scrophularia fol. Sambuci hirſuta 96.
Polygala Afric. fruteſc. fol. Myrti, fl. alto intus rubro 97.
Veronica fol. tenuiter laciniatis inſtar Paronychiæ 98.
Veronica pratenſis Serpillifolia anguſtifolia 98.
Convolvulus peregrinus fol. anguloſo, fl. albo parvo 102.
Convolvulus peregrinus tenuifol. argent. piloſus, fl. carneo 102.
Campanula longifolia, fl. conglomerato albo 104.
Trachelium peregrinum fruteſc. craſſiſſimo trunco, inſtar *Endiviæ* 104.
Rapunculus Valerianoides cæruleus umbellatus 104.
Rapuntium galeatum Virginianum, cæruleo flore 105.
Tithymalus folio Salicis hirſuto 106.
Tithymalus fol. cordiformi ſerrato 107.
Tithymalus Mauritanicus, aphyllos anguloſus ſpinoſus minor 107.
Geranium Afric. fruteſc. Malvæ fol. laciniato odorato inſtar Meliſſæ fl. purpuraſcente 110.
Geranium Afric. fruteſc. fol. Achimillæ hirſuto, cum fimbrijs purpureis 110.
Geranium Columbinum flore minore dilute rubro 111.
Geranium fol. *Altheæ* Afric. odore *Meliſſæ* 111.

Geranium *Afric.* fol. *Alchimillæ* piloſo maculato 112.
Geranium *Uvæ criſpæ* fol. caulic. virid. ſurrectis, fol. profundius inciſis, flore ſaturatè rubro 112.
Malva *Afric.* fruteſc. fol. Groſſulariæ, fl. rubro 114.
Althea *Sabdariffa* erecta trifoliata 115.
Hermannia fruteſcens fol. oblongo ſerrato latiori 115.
Hermannia fruteſc. fol. Groſſulariæ parvo hirſuto 115.
Hermannia fruteſc. f. Ibiſci hirſuto molli, caule piloſo 115.
Hermannia ſruteſc. fol. multifido tenui, caule rubro 116.
Hermannia fruteſc. fol. oblongo molli cordato hirſuto 116.
Ciſtus mas folio longiore 116.
Papauer *Orientale* annuum 119.
Nigella latifol. fl. parvo ſimplici 120.
Linum *Afric.* luteum, folijs conjugatis 120.
Linum fl. rubro, odore Moſchi 120.
Sedum *Afric.* arboreſc. fol. viridi obtuſo majus 120.
Sedum *Afric.* fruteſc. fol. longo ſerrato confertim nato 121.
Sedum *Afric.* fruteſc. caule pellucido, fol. ſubrotundo 121.
Sedum *Afric.* folio villoſo oblongo 121.
Sedum *Afric.* folio rotundo minori 121.
Telephium majus caule rubro, fl. luteo 122.
Ficoides *Afric.* arboreſc. lignoſa, fol. glauco brevi, fl. pallido 122.
Ficoides *Afr.* arboreſc. lignoſa, perfoliata, fol. glauco brevi ad ſuprema averſa parte ſpinâ unica armatâ 123.
Ficoides Afric. arboreſc. fol. tenuiſimo triangulari aſpero, fl. luteo 123.
Ficoides Afric. arboreſc. fol. viridi longo triangulari aſpero 123.
Ficoides Afric. arboreſc. lignoſa, ſpinis validis ligneis ad ramos armata, folio tenui & brevi 123.
Ficoides Afr. fruteſcens fol. glauco parvo, fl. violaceo 123.
Ficoides Afric. fol. triangul. craſſo glauco ad 3 margines aculeato 123.
Ficoides Afric. humilis fol. craſſo viridi ad extrema ſpinoſo, fl. violaceo 123.

Ficoides

Ficoides Afr. humilis, fol. viridi craſſo longo ad ſuperiora ſpinoſo conjugato 123.
Ficoides Afric. erecta arboreſc. geniculato caule, fol. viridi 123.
Ficoides Afr. erecta arboreſc. lignoſa, fl. radiato primo purpureo, dein argenteo interdiu clauſo, nocte aperto 124.
Ficoides Afric. fol. glauco craſſo fl. aureo 124.
Ficoides Afric. fol. variegato aſpero, ad apicem ſtellâ ſpinoſâ ornato, flore violaceo 124.
Ficoides Afric. fol. variegato aſpero ad apic. ſtellâ purp. ornato, minor 124.
Ficoides Afric. fol. variegato aſpero, ad apic. ſtella purp. ornato erecta 124.
Ficoides Afric. fol. viridi, micis quaſi glaciatis ſplendentibus ornato fl. coccineo 124.
Ficoides Afric. fol. longo tenui, flore rubro 124.
Ficoides Afric. fol. longo tenui, fl. aurantio 124
Ficoides Afric. humilis fol. craſſo ſplend. viridi Aloeformi, fl. luteo magno 124.
Pæonia fol. trifidi amplo ſupra viridi, infra pallido, fl. ſimpl. purp. amplo 125.
Conſolida Regalis Hort. fl. carneo, calcari longiſſimo 128.
Fumaria Neapolitana floſculis ſubflaveſcentibus in ſumitate nigricantibus 130.
Fabago Africana fruteſcens minor 135.
Thlaſpi Alyſſon *dictum*, campeſtre minus, fol. breviori 137.
Thlaſpi *Alyſſon* fol. Leucoij latiſſimo aſpero viridi 137.
Sinapi arvenſe album hyemale, folio Rapi, ſem. luteo 142.
Eryſimum ſem. minimo pallido, ſiliquis *Erucæ* 143.
Heſperis exigua lutea, fol. dentato anguſto 146.
Heſperis fl. albo minimo, ſiliquâ longâ, fol. profundè dentato.
Heſperis maritima exigua ſupina 147.
Heſperis ſiliquis hirſutis, flore parvo rubello 147.
Heſperis hirſuta fl. albo minore, fol. aſpero parvo Lavandulæ, ſiliquis *Cornu Cervini* diviſura 147.

Eadem

Eadem fl. purpureo vario 147.
Dentaria pentaphyllos, folijs mollioribus 147.
Geniſta Hiſp. virgultis longioribus tenuioribus & ſulcatis 148.
Geniſta-Spartium fol. minimis, ſpinis molliſſimis 149.
Cytiſus glaber, folijs medijs longioribus 150.
Phaſeolus erectus caule & folio rigido, flore pallido luteo, ſiliquâ craſſa & amplâ 152.
Melilotus lutea, floſculis minimis ſpicatis 152.
Trifolium annuum fuſcum, flore dilute rubello 153.
Trifolium perenne fuſcum, fl. albo 153.
Trifolium Afric. fol. obtuſo, fl. pallide cæruleo 153.
Anonis ſpinoſa, fl. albo minor 154.
Anonis ſpicata ſive Alopecuroides major 154.
Anonis folio Viciæ 154.
Medica ſiliquâ falcatâ planâ, ad margines aculeata, lutea 155.
Medica Cochleata polycarpos, capſula compreſſa 155.
Medica Cochl. polycarpos ſpinoſâ capſulâ, ſeu ſpinis longioribus capſulam inuolventibus 155.
Lotus ſiliquis geminis peregrina 156.
Lathyrus latifol. minor, fl. majore 158.
Lathyrus Siculus flore odorato magno 159.
Lathyrus anguſtifol. *Siculus*, ſiliq. hirſutis, fl. purpureo cæruleo 159.
Lythyrus latifolius fl. gilvo é *Smyrna* Dr. Sherard 159.
Vicia fl. albo ſiliquâ longâ glabrâ 160.
Vicia fol. & ſiliquâ latis, ſiliquâ hirſutâ 160.
Vicia major, fl. purpureo ſparſo, ſiliquis multis erectis 161.
Orobus latifolius repens, ſiliquâ parvâ 162
Orobus latif. repens fl. cæruleo, fol. & ſiliquis hirſutis 162.
Coronilla major, fl. violaceo 165.
Hedyſarum clypeatum aſperum, ſiliquâ ſpinoſiſſimâ fl. purpureo 165.
Aſtragalus *Orient.* fol. *Viciæ* incanis, anguſtis, oblongis 167.
Aſtragalus *Syriacus* hirſutus *Sherard* 167.

Aſtra-

Aſtragalus hirſutus Smyrna miſſus *Sher.* 167.
Aſtragalus fol. Tragacanthæ glabro, parvus *Sher.* 167.
Aſtragalus repens minor fl. cæruleo, ſiliquâ Epiglottidi ſimili 167.
Aſtragalus ſiliquâ bullatâ & bifariam diviſâ *Sher.* 167.
Herba mimoſa *Zeylanica* ſpinoſiſſima 168.
Bryonia alba aſperior, folijs majoribus 170.
Solanum fruticoſum bacciferum fol. rigidiore 173.
Colocaſia folijs ad caulem apertis 176.
Opuntia fol. oblongo media; ſpinis frequentioribus & brevioribus armato 181.
Lapathum fol. longiſſimo criſpo 183.
Acetoſa rotundifolia annua 184.
Halimus folio minore 186.
Chenopodium *Americ.* vel *Armenium* folio Kali 187.
Botrys Ambroſioides *Mexicana* perennis 187.
Reſeda maxima *Cretica*, folijs Cannabinis 194.
Hyacinthus *Oriental.* fl. pleno carneo parvo 199.
Hyacinthus *Orient.* fl. pleno cærul. purp. minore 199.
Hyacinthus *Orient.* fl. pleno albo internè rubis punctis adſperſo 199.
Hyacinthus *Orient* fl. pleno cæruleo porcellano 199.
Hyacinthus *Orient.* fl. pleno cærul. purp. magno 199.
Croçus vernus latifol. aureus minor 200.
Crocus vernus latif. fl. externè pallido, intus cæruleo ſtriato 202.
Crocus vern. latif. fl. ext. pallido violaceo variegato, intus cæruleo 202.
Crocus vern. latif. fl. purpureo minor 202.
Crocus vern. latif. fl. albo purpureo major 202.
Crocus vern. latif. fl. albo purp. minor 202.
Crocus vern. alterno floris folio albo, alterno cæruleo 202
Crocus vernus fl. candido pnro 202.
Iris bulboſa *Hiſpanica* variegata 205.
Iris bulb. *Anglicana* fl. albo, cæruleis lineis variegato 205.

Aloe *Afric.* cauleſcens perfoliata, anguſtiori ſpinoſiſſimo folio *Beaum.*

Aloe *Afric.* cauleſc. fol. ſpinoſis, macul. ab utraque parte albicantibus obſcurioribus, folijs glaucis *Beaumont* 210.

Aloe *Afric.* humilis ſpinis herbaceis inermibus & verrucis obſita, folio craſſiori *Beaum.* 210.

Aloe *Afric.* fol. obſcuro viridi, ſpinis ad latera & verrucis in dorſo armato 211.

Lilium *Martagon* purpureum punctatum 214.

Lilium Martagon *Bizantinum* medium 214.

Lilium Martagon *Bizantinum* minus 214.

Ornithogalum viride minus 218.

Lilium *Javanicum* habitum. *an* Lilio-Aſphodelus *Com.* Rar. 14?

Cyclamen radice *Anemones*, fl. purp. minore odorato 223.

Lingua Cervina fol. in ſummo multifidis & corniculatis, minor, eleganter laciniata 234.

Buxus *Africana* folio oblongiori non ſerrato 238.

Lycium *Africanum* fructu rubro 246.

Lycium *Pruni* folio ſubrotundo, fl. candicante 246.

Rhamnus *Afric.* ſpinis longis, cortice albo fructu cæruleo 246.

Alaternoides *Afr.* fol. Ericæ, flore muſcoſo albo 248.

Alaternoides *Afr.* fol. Telephij legit. *Imperati* 248.

Philyrea fol. magis ſerrato ſubrotundiori 248.

Liguſtrum fol. latioribus 248.

Lauro ſimilis flore, folio tenero 249.

Jaſminum *Indicum* fol. conjugatis max. fl. albo odoratiſſimum 250.

Jaſminum *Caſtaneæ* folio, fl. odoratiſſimo rubro, fructu qui COFFE duro *Commel.* 250

Olea *Africana* humilis lucida 250.

Viburnum *Americ.* fl. albo 255.

Viburnum *Americ.* fl. purpureo cæruleo 255.

Viburnum *Americ.* folijs longioribus 255.

Peri-

Periclymenum minus 256.
Periclymenum *Afric.* folio Pruni 257
Berberis *Mauritanica* 260.
Malus *Limonia* fol. anguſtiore ſpinoſa 264.
Malus *Limonia* fol. anguſtiore non ſpinoſa 264.
Ceraſus *Hottentottorum* fol. minori magiſque rotundo 266.
Meſpilus magno oblongo laciniato folio 275.
Evonymo affinis Afric. Ulmi folio, fl. rotundo Malvaceo, tetracoccos 278.
Chryſanthemum baccifer. *Populi* fol. *Africanum* 278.
Arbuſcula alatis folijs ad Jaſminum vulgatius accedentibus 278.
Arbuſcula *Africana* tenui muſcoſo floſculo 278.

II. *Theſe are of* late Diſcovery, *and rare in our* Engliſh *Gardens.*

Pentaphylloides fol. Ulmariæ, flore albo 5. Tournef.
Bulbocaſtanum *Luſit.* fol. tenuiter diviſo. 9. V. Luſit.
Oenanthe caule flexoſo & fiſtuloſo 9. Mor. Umb.
Oenanthe *Luſit.* ſem. craſſiore globoſo 9. Tourn. 313.
Angelica *Alpina* ad nodos florida 10. Tour. 313.
Apium degener fol. longius diſſectis 12. Mor. U. 24.
Thapſia Apij folio *Luſit.* fætidiſſima fl. albo 12. T. 322.
Laſerpitium folijs amplioribus, ſem. criſpo 13. T. 324.
Laſerpitium humilius Paludapij folio, fl. purp. 13. T. 325.
Laſerpitium anguſtifolium ſem. criſpo 14. Tourn.
Paſtinaca tenuifolia *Cretica*, umbella radijs Gingidij longioribus M. Umb.
Caucalis major Daucoides *Tingitana* M. Umb. 65.
Cachrys ſem. fungoſo lævi, fol. Ferulaceis M. U. 62.
Ferula durior ſeu rigidis & breviſſimis folijs Bocc. M. 84.
Sphondilium max. *Tranſylvanicum* Ricini *fol.* Breyn. *Prodr.* 2.
Valeriana fol. Calcitrapæ magis ſecto 19. M. Umb.
Hieracium fol. caulem amplexo 25. *Triumfet.*

Aſter *Amer.* latif. maximus, puniceis caulibus H. *Ludg.* Bat. 651. Fig.

Aſter *Novæ Belgiæ* latifol. paniculatus, fl. ſaturatè violaceis H. L. Bat. 67. *Fig.*

Aſter *Novæ Belgiæ* latifol. umbellatus, fl. dilutè violaceis H. L. B. 69. *Fig.*

Aſter *Novæ Angliæ* altiſſimus hirſutus, fl. ampliſſimis purpuro violaceis *Parad. Batav.* Prodr. 98. Fig.

Aſter *Novæ Angliæ* purp. Virgæ aureæ facie & folijs undulatis P. Bat. pr. 96. Fig.

Virga Aurea *Novæ Angliæ* lato rigido folio P. Bat. pr. 243. Fig.

Jacobea *Afric.* fruteſc. fol. rigido & hirſuto major H. Amſt. 2. Fig. 75.

Jacobea *Afric.* fruteſc. fol. rigido & hirſuto minor H. Amſt. 2. p. 149.

Jacobea *Afric.* fruteſc. fol. glauco craſſo ſucculento H. Amſt. 2. Fig. 74.

Jacobea *Afr.* fol. Hederæ terreſtris H. Amſt. 2. Fig. 73.

Anemonoſpermos *Afric.* fol. Card. Benedict. fl. albo extus puniceo H. Amſt. 2. Fig. 22.

Chryſanthemum *Canadenſe*, Ranunculi rad. *Strumoſum* vulgo H. L. B.

Ptarmica Alpina *Matricariæ* folijs 37. *Triumfet.* 83.

Ptarmica *Alpina* incanis ſerratis folijs H. L. Bat. 694.

Ptarmica fol. profundius ſerratis, læte viridibus elatior H. L. B. 694.

Calendula humilis Afr. fol. Leucoij, fl. albo H. Amſt.

Senecio *Amer.* purpureo cæruleo flore El. Bot. 362.

Senecio *Afric.* arboreſcens, fol. Ficoides H. Amſt. 2. Fig.

Eupatorium *Novæ Angliæ* Urticæ folijs, fl. purp. maculato caule H. L. B. 667.

Coma aurea *Afric.* fruteſc. fol. glauco ad extrema trifido H. Amſt. 2. Fig.

Chryſanthemum *Cannabinum* Americanum H. R. *Blæs* 254.

Abrotanum fœm. caneſcens fol. Stœchadis citrinæ *Breyn.* Pr. 1.

Pana-

Tanacetum *Afr.* arboreſcens, fol. Lavandulæ H. *Aſtm.* 2. Fig.
Scabioſa folio Cardiacæ *Bocc. Sicul.*
Carduus *Creticus* incanus, fl. luteo purpureo I. R. H. 441.
Carduus *Melitenſis* capitulis conglobatis I. R. H. 442.
Carduus *Melitenſis* Erucæ folio fl. luteo I. R. H. 442.
Carduus Sphærocephalus *Tingitamus* I. R. H. 441.
Jacea argentea *Raguſina* Zanon 107.
Jacea cinerea laciniata, fl. purpureo *Triumpheti* 72.
Serratula *Virginiana* foliis rigidis P. B. pr. 227. Fig.
Serratula *Novæborac.* altiſſima, fol. Doriæ mollibus ſubincanis P. Bat.
Gallium ſaxatile glauco folio *Bocc.* Mus. Tab. 116.
Betonica major *Danica* Park. 615.
Betonica minima *Alpina* Helvetica *Park.* 614.
Clinopodium *Canad.* fiſtuloſum anguſtifolium H. L. Bat.
Horminum ſanguineum *Aſphodeli* radice *Triumph.* 69.
Horminum Verbenæ lacinijs *Triumph.* 66.
Bugula odorata *Luſitanica* Corn. 46.
Ocimum *Ægyptiac* odorat. fol. longis pediculis innixus *Ambroſ.*
Marrubiaſtrum fol. Cardiacæ Bocc. *Mus.* Tab. 98.
Pſeudo-Dictamnus *Afric.* Hederæ Terreſtris fol. *Old.* I. R. H. 188.
Calamintha prælta odore Pulegij Bocc. *Tab.* 40.
Dracocephalum Americanum *Breyn.* Pr. 1. Fig.
Bugula *Alpina* maxima I. R. H. 209.
Marrubium aq. fol. profundiſſimé diſſectis H. L. B. 408.
Verbena altiſſima *Americana* P. Bat.
Verbena latifol. *Luſit.* procerior I. R. H. 200.
Auricula Urſi minima, fl. carneo & niveo 1. B. 3. p. 869.
Portulaca *Curaſſavica* Capparidis fol. P. Bat. pr. 213. Fig.
Portulaca *Curaſſ.* lanuginoſa erecta P. Bat. pr. 214. Fig.
Blattaria fl. cæruleo, fol. ſplendente *Mandragoræ* Triump.
Blattaria incana multifida *Bocc.* 61.
Linaria *Americ.* max. purpureo flore H. L. Bat. 377 Fig.
Scrophularia nemorenſis fol. *Urticæ* rugoſo, fl. atro punicante H. *Catholic.*

Polygala fruteſcens *Cap. Bonæ Spei* Breyn. *Cent.* 107.
Polygala fruteſc. fol. *Buxi* fl. maximo *Old.* I. R. H. 175.
Hypericum fruteſcens *Virgin.* tomentoſum & incanum P. Bat. pr. 188. Fig.
Convolvulus *Amer.* piloſus, fl. luteo, umbone purpureo H. *Amſt.* Fig.
Campanula altiſſima hirſuta flor. conglomeratis Hort. Bat.
Campanula minima *Afric.* Erini facie, fl. violaceo, cauliculis procumbentibus H. L. B. 109.
Tithymalus *Raguſinus* fl. luteo pentapetalo H. L. B 601.
Tithymalus *Afric.* caule tuberoſo minor ex *Hort.* Beaum. 107.
Datura *Amer.* Hyoſcyami folio *Hor.* Bat. 2.
Datura *Cochin.* ſpinoſiſſima *Zan.* 76.
Geranium *Afric.* noctu olens tuberoſum fol. *Vitis* hirſuto H. Amſt. 2.
Geranium *Afric.* fruteſcens fol. glauco, ſapore *Acetoſæ* Com. 2. Fig.
Geranium fætidum *Park.*
Altheæ fruteſc. *Luſit.* fol. rotundiori undulato I. R. H. 97.
Malva rotundifolia *Italica*, fl. amplo purpureſcente I. R. H. 96.
Malva *Hiſpan.* fol. rotundis undulatis *Flor.* Bat. 2.
Malva rotundifol. glabra *Hiſp.* fl. amplo rubello *Pluk.* 44.3.
Malva Sylveſtris fol. *Betonicæ* Bocc. 114.
Ketmia *Africana* Populi folio I. R. H. 100.
Ciſtus *Ledon* fol. latis & hirſutis *Flor.* Bat. 2.
Colyledon fl. luteo rad. repente *Dodart.* mem. 73.
Colyledon fl. luteo medio H. L. Bat. 191.
Colyledon *Afr.* fruteſc. fl. umbellato coccineo *Comel.* 2.24.
Telephium *Amboinenſe* maximum H. *Beaumont.*
Helleborus niger trifoliatus H. *Farnes.* 92.
Sinapiſtrum *Luſit.* tryphyllum fl. rubro, ſiliquis corniculatis H. L. Bat.
Fumaria Africana veſicaria ſcandens P. *Bat.*
Clematis tetraphyllos *Americana* ſiliquoſa H. R. *Par.* 71.

Aſclepias

Aſclepias *Africana* aizoides, fl. pulchré fimbriato *Com.* 19.
Apocynum majus *Syriacum* rectum *Corn.* 91.
Apocynum minus rectum *Canadenſe* Corn. 93.
Apocynum *Canad.* humilius fol. anguſtiſſimo H. L. *Bat.*
Apocynum rectum latifol. *Americ.* majus *Park.* 385.
Apocynum fruticos. fol. rotundiori craſſo P. *Bat.*
Apocynum fruteſc. fol. rotundiori magis acuto P. *Bat.*
Apocynum erect. *Canad.* latifolium P. *Bat.*
Thlaſpi incanum fol. *Leucoij* Bocc.
Leucoium ſaxat. fol. viridi, fl. purpureo eleganti *Cupani.*
Thlaſpi latif. platycarpon *Leucoij* folio *Bocc.* 55.
Thlaſpi verum primum *Dioſcoridis Zan.* 191.
Lepidium humile minus incanum *Alepicum* I. R. H.
Cochlearia major *Batavica* erecta fol. oblongo H. L. *Bat.* 165.
Sinapi *Indicum* Lactucæ folio P. *Bat.*
Sinapi *Indic.* Lact. fol. minus ſeu anguſto profundius crenato P. B.
Sinapi *Hiſpanicum* fol. Naſturtij *Tourn.* 227. fl. pallide purpureo 142.
Naſturtium *Pyrenaicum* aquaticum P. *Bat.*
Naſturtium montanum fol. *Aſari* Bocc. 5.
Cardamine *Sicula* fol. *Fumariæ* T. 224. Bocc. 84.
Leucoium *Luſit.* purpureum fol. eleganter dentatis P. *Bat.* 193. Fig.
Heſperis *Sicula* fruteſcens, ſiliqua tricuſpidi T. 223. *Boc.* Mus. Tab. 111.
Heſperis *Sicula* Coronopi fol. ſiliquâ tricuſpidi T. 223. *Bocc.* Muſ. Tab. 111.
Geniſta tinctoria *Germanica* fol. lucidis glabris H. L. B.
Phaſeolus *Indicus* flor. & fructu candidiſſimis *Volk.*
Phaſeolus *Indicus* cochleato flore *Triumph.* 92.
Fœnum Græcum Sylv. minus *Monſpel* Breyn. Cent. 79. Fig.
Fœnum Græcum Sativum, polyceration *Cretic.* majus Breyn. Cent. 80.
Anonis ſpicata ſive Alopecuroides *Luſitanica* Hofm.

Medi-

Medica annua, ſiliquis hirſutis falcatis *Flor. Bat.* 1.
Colutea veſic. *Afr.* frut. fol. Senæ, fl. ſanguineo *Com.*
Onobrychis minus, fr. maximo inſigniter echinato *Triumph.* 65.
Lupinus peregr. major, fl. incarnato H. L. *Bat.*
Lupinus anguſtifol. cerul. elatior *Ray* H. Plant. 908.
Hedyſarum triphyllum *Canad.* Cornuti 44.
Hedyſarum annuum ſiliqua aſpera undulata intorta T. 401.
Aſtragalus purp. perennis *Monſpeſſulanus* Magn.
Bryonia *Zeyl.* fol. profundè laciniatis H. L. *Bat.* Fig.
Bryonia *Afr.* laciniata, tuberoſa rad. fl. herbaceis P. *Bat.*
Polygonatum racemoſum fl. luteo majus *Corn.* 37.
Polygonatum racemoſum fl. luteo minus *Corn.*
Aſparagus aculeatus max. ſarmentoſus *Zeylanicus* H. L. Bat. Fig.
Anapodaphyllon *Canad.* Morini T. 239.
Arum max. cauliculis nigricantibus, *Zeylanicum* H. L. Bat.
Arum tryphyllum *Dodart.* Mem. 81.
Cucumis *Canad.* monoſpermos, fr. echinato *Par. Bat.* Fig. 133.
Cucumis puniceus *Indicus* major P. Bat.
Ficus *Indica* Scolopendriæ folio Epiphyllitis P. *Bat.* Cat. 8.
Cereus erect. *Curaſſ.* tetragonus articulatus P. B. *pr.*
Cereus ſcand. minor trigonus articulatus, fr. ſuaviſſimo P. Bat. 118. Fig.
Cereus ſcand. minor polygonus articulatus, P. Bat. 120.
Acetoſa *Moſcovitica* ſterilis H. Ox. 583.
Atriplex anguſtiſſimo & longiſſimo folio H. L. Bat.
Parietaria *Sicula* fol. Alſines *Bocc.* 47.
Pimpinella ſanguiſorba eleganter laciniata S. B. P. T.
Pimpinella max. *Canad.* alba ſpicata *Corn.* 175.
Pimpinella Agrimonoides *Bocc.* 58.
Gnaphaloides *Luſitanica* T. 439.
Mercurialis procumbens dicoccos *Afric.* fol. Violæ tricoloris P. *Bat.*

Hya-

Hyacintho affinis *Afric.* tuberoſa rad. umbellata cærulea inodora H. L. Bat.
Colchicum variegatum *Corn.* 137.
Canna *Indica* anguſtifol. fl. flavo H. L. Bat.
Ornithogalo affinis rad. tuberoſa, fol. Cyclaminis *Breyn.* Cent.
Ornithogalum *Afric.* lut. odorat. fol. Cepaceis rad. tuberoſa H L. *Bat.* Fig.
Scilla *Afric.* fl. parvo viridi, bulbo ampliſſimo lanuginoſo H. *Amſt.* 2 Fig.
Lilium *Amer.* puniceo flore, *Bella dona* dictum P. Bat. Fig. 194.
Lilio narciſſus *Afr.* platicaulis humilis, fl. purp. odorato H. *Amſt.*
Gramen *Sparteum* marit *Hollandium*, ſpicâ Secalinâ *Ray.*
Gr. Dactylon max. *Americanum* H. R. Par.
Arundo *Indica* variegata ſeu *Laconica* Theophraſti *Corn.* 55.
Polypodium majus folio ſerrato *Barrel.* Icon.
Fraxinus *Alepenſis* H. L. Bat.
Fraxinus *Americana* florida H. R. *Par,*
Fraxinus florifera *Botryoides* H. R. Blæs.
Lentiſcus vulg. fol. minoribus & pallidioribus H. L. *Bat.*
Jaſminum *Afric.* folio Ilicis *Com.* Fig. 6.
Vitis Idea *Zelanica* odoratiſſima T. 608.
Myrtus folijs Buxi *Schuyl.* Hort. 49.

III. *The following* Plants, *tho* formerly diſcovered, *are not common in our* Engliſh *Phyſick* Gardens.

Anemone trifolia C. B. 176. *Phyt.* 317.
Anemone Sylv. alba major C. B. 176.
Ranunculus nemoroſus luteus C. B. 198. flor. duobus *Var.*
Meum latifol. adulterinum C. B. 148.
Crithmum marit. majus odore Apij C. B. 288. 1.
Apium montanum tenuifolium C. B. 153.
Thapſia latifol. villoſa C. B. 148.
Thapſia folijs *Libanoditis* fætidiſſima C. B. 148.

Caucalis

Caucalis pumila maritima C. B. 152.
Valeriana tuberoſa I. B. 3. p. 209.
Sonchus lævis laciniatus cæruleus Alpinus C. B. 124.
Tuſſilago *Alpina* rotundifolia glabra C. B. 197.
Cacalia tomentoſa C. B. 198.
Bellis ſpinoſa fol. *Agerati* C. B. 262.
Dipſacus ſativus fol. laciniato C. B. 385.
Eryngium montanum pumilum C. B. 386.
Atractylis fl. purpureo *Ludg.* 1468.
Jacea *Babylonica* C. B. pr. 129.
Jacea marit. candidiſſima fol. *Stœbes* C. B. 272.
Centaurium *Alpinum* luteum C. B. 117. pr. 56.
Rubeola repens lutea folijs ſpinoſis C. B. 334.
Tragoriganum *Creticum* minus & tenuis *Alpin.* Exot. 79.
Tragorig. *Cret.* majori craſſiori, aſperiori folio *Alp.* Ex. 79.
Sideritis *Alpina* Hyſſopifolia C. B. 233.
Sideritis hirſuta vulg. erecta C. B. 233.
Verbena nodiflora C. B. pr. 125. Fig.
Alſine affinis *Androſace* dicta major C. B. 251.
Soldanella *Alpina* rotundifolia C. B. 295.
Gentiana paluſtris latifol. fl. punctato C. B. 188.
Hyoſciamus albus *Ægyptius* Alp. *Exot.* 192.
Linaria tryphylla minor lutea C. B. 212.
Hedera ſaxatilis magno flore C. B. 306.
Tithymalus Characias fol. ſerrato C. B. 293.
Ruta Sylv. fl. magno albo C. B. 336.
Alcea villoſa hirſuta C. B. 3 6.
Nigella *Cretica* C. B prodr. 75.
Peonia folio latiori promiſcua Vormarij I. B.
Jonthlaſpi minimum ſpicatum *Col.* 284.
Leucoium mont. fl. pedato *Col.* 2. 61.
Jondraba *Apula* Alyſſoides ſpicata *Col.* 285.

LONDON: Printed for *H. Clements* at the *Half-Moon*, and *W. Innys* at the *Princes-Arms* in St. *Paul's Church-yard*, and *D. Browne* without *Temple-Bar.*